



Free Downloads of Build Instructions,
Assembly Booklets & How To Guides

BuildInstructions.com


IMPERIAL™ ARMOUR

LEGION DREADCLAW

99590101384

RESIN COMPONENTS LIST

1. Landing Leg x5
2. Assault Portal
3. Flying Stand Attachment
4. Nozzle
5. Nozzle Base
6. Cutting Claw x5



This kit contains all the pieces required to build the Legion Dreadclaw
To glue the resin pieces together and to plastic kit parts
use Citadel Super Glue.

NOTE: We have cast this kit using the most advanced techniques
and the best quality resin, but due to the nature of the casting process your
model may contain very slight air bubbles. These can easily be filled with
model filler or super glue. Any slight warpage of thin parts can easily be
corrected by immersing the part in hot tap water for about 1 minute then
carefully bending it back into shape.


THIS IS NOT A TOY

Not suitable for children under 15 years of age.

WARNING: Resin dust can be harmful if inhaled. Always wear a dust
mask or respirator when sanding or sawing resin parts.

The copyright on the model designs and components within
this box is the exclusive property of Games Workshop Ltd.
Copyright Games Workshop Ltd., 2014. All rights reserved.

PLASTIC COMPONENTS REQUIRED



Remove the lower hinge from the plastic doors. Both interior and exterior doors.




To do this, score along the edge of the hinge with a modelling knife.




Then simply snap the hinge of the door off.






Attach the plastic door halves together


Glue lower part of plastic upright to the Assault Portal



2. Assault Portal




5. Nozzle Base




Glue upper part of plastic upright to the Nozzle Base

Do not glue


There should be some flex to the bottom of the plastic door



The Cutting Claw connects the bottom of the plastic door to the Assault Portal




6. Cutting Claw



4. Nozzle

3. Flying Stand Attachment
The Flying Stand Attachment should be stable enough to not require gluing to the Dreadclaw model. We recommend gluing it to the flying stand.



1. Landing Leg

