



Free Downloads of Build Instructions,
Assembly Booklets & How To Guides

BuildInstructions.com

ADEPTUS TITANICUS™

THE HORUS HERESY®

DIRE WOLF HEAVY SCOUT TITAN
WITH NEUTRON LASER



THIS IS NOT A TOY

Not suitable for children under 15 years of age.

WARNING: Resin dust can be harmful if inhaled. Always wear a dust mask or respirator when sanding or sawing resin parts.

Forge World
MINIATURES

www.forgeworld.co.uk



993203990134

Components

Before assembly, check that none of the components are missing.



Preparing the Model for Assembly

Before assembling the model, wash each part thoroughly with an abrasive brush, such as a toothbrush, to remove any model release agent. Then, remove any excess resin such as mould lines, casting gates, vents and shims.

For a more detailed guide to working with resin models, go to the Downloads section of the Warhammer Community website. This kit contains all the pieces required to construct one Dire Wolf Heavy Scout Titan with Neutron Laser. To glue the resin pieces together, use super glue.

NOTE: Due to the nature of the casting process, your model may contain small air bubbles. These can be filled with model filler or super glue. Any slight warpage of thin parts can easily be corrected by immersing the part in hot water for about 1 minute, then carefully bending it back into shape.

If you need to contact the Forge World Customer Service team regarding this model, you can get in touch via email – forgeworld@gwplc.com – or call: 0115 900 4995 within the UK 011 44 115 900 4995 from the USA and Canada 0011 44 115 900 4995 from Australia 00 44 115 900 4995 from Europe and the rest of the world.

Assembly Legend




Parts for Assembly



Glue Contact Area



Shim for Removal




Insert



Note

1


Torso



Torso Rear


2

Left Shield Generator




Right Shield Generator

3




4




! Repeat the step for the right side.

5



! Repeat the step for the right side weapon arm.


6



! Repeat the step for the right side weapon arm.

7

Pelvis

Armour
Plate

8

Left Foot

! Remove
the highlighted
shim.



9

Left Foot

Left Rear Toe

! Repeat the step for the right side.



10

Left Foot
Assembly

11

Piston

Left Leg
Assembly

! At this stage it is better to 'dry fit' the part so you can trim and position the Piston Rod to fit your chosen leg position. There are two Pistons and Piston Rods for each leg. Repeat the step for the right leg.




12

Piston Rod


Left Leg
Assembly

! There are two Pistons and Piston rods for each leg. Each Piston Rod might have to be trimmed to fit depending on desired leg position. Repeat the step for the right leg.



13

Left Upper Leg



Left Leg Plate

Left Leg Assembly



You can trim the tab from the Upper Leg to alter its position. Repeat the step for the right leg.

14

Body Assembly



Head

15

Right Leg Assembly

Pelvis Assembly

Left Leg Assembly



16

Body Assembly

Legs Assembly



DIRE WOLF TORSO

ARDEX DEFENSOR

MEGA-BOLTERS

WEAPON

DISABLED

Repair weapon {3+}

9-12: Detonation {Body, S7}

13+: Detonation {Body, S9}

DIRE WOLF CARAPACE

NEUTRON

LASER

WEAPON

DISABLED

Repair weapon {4+}

10-13: Detonation {Body, S7}

14+: Detonation {Body, S9}

DIRE WOLF TORSO 10 POINTS

ARDEX DEFENSOR
MEGA-BOLTER

Range	ACC
Short 10"	-
Long 20"	-

ARC
Dice | Str
6 | 4

Traits: Paired, Rapid

9+: Weapon Disabled

DIRE WOLF CARAPACE 45 POINTS

NEUTRON
LASER

Range	ACC
Short 30"	+1
Long 60"	-

ARC
Dice | Str
1 | 7

Traits: Bypass, Carapace,
Draining, Shock

10+: Weapon Disabled