


Free Downloads of Build Instructions, Assembly Booklets & How To Guides

BuildInstructions.com

LEGIO CUSTODES CORONUS GRAV-CARRIER

Armed with twin-linked lastrum bolt cannon and Arachnus blaze cannon, the Coronus Grav-carrier is perhaps one of the most recognised vehicles used exclusively by the Legio Custodes. This heavily protected transport skimmer provides them with a degree of speed and agility unmatched by the grinding armour of others who fight in the name of the Emperor, allowing the Legio Custodes to deploy rapidly into a range of terrain whilst reducing the risk of being pinned down by enemy forces.



THIS IS NOT A TOY

Not suitable for children under 15 years of age.

WARNING: Resin dust can be harmful if inhaled. Always wear a dust mask or respirator when sanding or sawing resin parts.


www.forgeworld.co.uk



Components



- Hull Bottom
- Right Hull
- Left Hull
- Right Nacelle
- Left Nacelle
- Rear Door
- Internal Bulkhead
- Engine Plate x2
- 10. Control Surface x2
- II. Small Jet Exhaust x2
- 12. Chin Turret
- 13. Chin Turret Plate
- Lastrum Bolt Cannon x2
- Turret Vent
- 16. Grav-plate x10
- Turret
- 18. Right Arachnus Blaze Cannon
- 19. Left Arachnus Blaze Cannon
- Central Rear Sensor
- Right Rear Sensor
- 22. Left Rear Sensor
- 23. Medium Jet Exhaust x2
- 24. Large Jet Exhaust x2



Assembly Legend Parts for Assembly Glue Contact Area Do Not Glue Note Reverse Angle Insert Component Highlight

Preparing the Model for Assembly

Before assembling the model, wash each part thoroughly with an abrasive brush, such as a toothbrush, to remove any model release agent that may still be on the surface of the parts. Then, remove any excess resin such as mould lines, casting gates, vents and shims. For a more detailed guide to working with resin models, go to the Downloads section of the Forge World website.


This kit contains all the pieces required to construct a Coronus Grav-carrier. To glue the resin pieces together, use Citadel Super Glue.

NOTE: We have cast this kit using advanced techniques and the best quality resin, but due to the nature of the casting process, your model may contain small air bubbles. These can easily be filled with model filler or super glue. Any slight warpage of thin parts can easily be corrected by immersing the part in hot tap water for about I minute, then carefully bending it back into shape.


If you need to contact the Forge World Customer Service team regarding this model, you can get in touch via email forgeworld@gwplc.com - or call: 0115 900 4995 within the UK

011 44 115 900 4995 from the USA and Canada 0011 44 115 900 4995 from Australia

00 44 115 900 4995 from Europe and the rest of the world.








20. Central
Rear Sensor

21. Right Rear
Sensor





Turret Assembly



The Control Surfaces plug into a round hole and can be angled as desired.

© Copyright Games Workshop Limited 2016. All rights reserved.

www.forgeworld.co.uk

forge World

forgeworld.co.uk