



Free Downloads of Build Instructions,
Assembly Booklets & How To Guides

BuildInstructions.com


IMPERIAL™ ARMOUR

THANATAR SIEGE-AUTOMATA

99590108115

THANATAR SIEGE-AUTOMATA RESIN COMPONENTS LIST

- | | |
|-----------------------------|-----------------------------|
| 1. Body | 19. Left Front Claw |
| 2. Groin | 20. Right Rear Claw |
| 3. Left Foot Flat | 21. Right Front Claw |
| 4. Left Foot Raised | 22. Plasma Flasks x6 |
| 5. Right Foot Raised | 23. Left Hip |
| 6. Right Foot Flat | 24. Right Hip |
| 7. Mauler Bolt Cannon | 25. Left Leg Brace |
| 8. Right Forearm | 26. Right Leg Brace |
| 9. Left Upper Leg | 27. Left Leg Piston x2 |
| 10. Right Upper Leg | 28. Right Leg Piston x2 |
| 11. Helix Plasma Mortar | 29. Left Piston Support x2 |
| 12. Mortar Containment Ring | 30. Right Piston Support x2 |
| 13. Shoulders x2 | 31. Mortar Mount |
| 14. Right Lower Leg | 32. Elbow Joint 1 |
| 15. Left Lower Leg | 33. Elbow Joint 2 |
| 16. Bolt Cannon Ammo Feed 1 | 34. Shin Guard x2 |
| 17. Bolt Cannon Ammo Feed 2 | 35. Waist |
| 18. Left Rear Claw | |




This kit contains all the pieces required to build the Thanatar Siege-Automata
To glue the resin pieces together and to plastic kit parts
use Citadel Super Glue.

NOTE: We have cast this kit using the most advanced techniques
and the best quality resin, but due to the nature of the casting process your
model may contain very slight air bubbles. These can easily be filled with
model filler or super glue. Any slight warpage of thin parts can easily be
corrected by immersing the part in hot tap water for about 1 minute then
carefully bending it back into shape.

THIS IS NOT A TOY

Not suitable for children under 15 years of age.
WARNING: Resin dust can be harmful if inhaled. Always wear a dust
mask or respirator when sanding or sawing resin parts.


The copyright on the model designs and components within
this box is the exclusive property of Games Workshop Ltd.
Copyright Games Workshop Ltd, 2014. All rights reserved.




1. Body

14. Right Lower Leg

Remove shims and feeds




10. Right Upper Leg



9. Left Upper Leg

10. Right Upper Leg


The peg highlighted locates the Upper Leg into the correct place on the Lower Leg for the pistons supplied. You can remove the peg to change the pose but you will also need to modify the pistons.



9. Left Upper Leg


30. Right Piston Support

29. Left Piston Support




27. Left Leg Piston

15. Left Lower Leg




28. Right Leg Piston

14. Right Lower Leg




23. Left Hip

2. Groin




24. Right Hip

23. Left Hip




25. Left Leg Brace

15. Left Lower Leg



6. Right Foot Flat

34. Shin Guard



4. Left Foot Raised

34. Shin Guard


Right Leg Assembly

Groin Assembly

Left Leg Assembly


The Thanatar comes with two spare feet to allow different poses.

35. Waist



Leg Assemblies

13. Shoulder




Right Forearm Assembly

32. Elbow Joint 1


Build the Elbow and Shoulder for the Mauler Bolt Cannon Arm in the same fashion, but do not attach to the Mauler Bolt Cannon Assembly

Note: Elbows can be used on either arm, but the Cannon Ammo Feeds are shaped to fit using Elbow Joint 2 on the Mauler Arm posed as in these instructions. Other poses are possible but they will require more significant heat bending of the Ammo Feeds.

20. Right Rear Claw




21. Right Front Claw




8. Right Forearm

19. Left Front Claw




18. Left Rear Claw




7. Mauler Bolt Cannon

12. Mortar Containment Ring




11. Helix Plasma Mortar




22. Plasma Flasks x6

16. Bolt Cannon Ammo Feed 1




17. Bolt Cannon Ammo Feed 2

33. Elbow Joint 2



Attach the Ammo Feeds to the Body and the Mauler Bolt Cannon Assembly and attach the Shoulder Assembly to the Body.

Apply heat to the Ammo Feeds using a hair dryer or hot air gun (Submerging the part in hot water may also suffice) until they are flexible enough to allow the elbow to be connected.



Mauler Bolt Cannon Arm Assembly

31. Mortar Mount

1. Body

Ammo Feed Assembly

Helix Plasma Mortar Assembly

Right Arm Assembly

