

Free Downloads of Build Instructions, Assembly Booklets & How To Guides

BuildInstructions.com



TAU ORCA DROPSHIP

RESIN COMPONENTS LIST

- Antennae (x2)
- Missile Pod
- 3. Drone Racks (x8)
- 4. Battlesuit Thighs (x12)
- Battlesuit lower legs (x12)
- Battlesuit Clamps (x6)
- 8. Cross Beam 7. Rail Rifles (x2)
- Weapon Racks (x4)
- 10. Ethereal Chair
- 11. Crew Chairs (x2)
- 12. Crew (x2)
- Ethereal
- Front Landing Legs (x2) Rear Landing Legs (x2)
- 17. Tail Fin Landing Pads (x4)
- 18. Upper Dome
- 20. Nose Front Upper Fuselage

- 21. Main Fuselage
- 22. Command Centre
- 23. Rear Upper Fuselage
- 24. Port Engine Airflow Bypass

- Engine Pivot Mount Cover (x4)
- Port Engine Lower Exhaust (x2)
- Turret Retaining Ring

- 39. Turret Ridge

- Starboard Engine Airflow Bypass
- 26. Engine Pivot Mounts
- 27. Engine Airflow Bypass Vents (x2)
- Starboard Engine (x2)
- 29. Port Engine (x2)
- 31. Port Engine Upper Exhaust (x2)
- Starboard Engine Lower Exhaust (x2)
- 34. Starboard Engine Upper Exhaust (x2)
- Turret Stem
- Burst Cannon
- Turret Locking Plate
- Turret Locking Clamps

- 41. Turret Dome
- 42. Cockpit/Escape Capsule
- 43. Cockpit Top
- 45. Air Caste Pilot 44. Cockpit Front
- Battlesuit Rail
- 47. Fire Warrior 1 (x8) Fire Warrior 2 (x8)
- 49. Fire Warrior 3 (x8)
- 50. Rear Door
- 51. Port Door Hinge
- 52. Starboard Door Hinge

PLASTIC COMPONENTS LIST

- 1. Battlesuit Sprues (x6)
- 2. Gun Drone Sprues (x8

THIS IS NOT A TOY

carefully bending it back into shape.

and the best quality resin, but due to the nature of the casting process you model may contain very slight air bubbles. These can easily be filled with corrected by immersing the part in hot tap water for about 1 minute then model filler or super glue. Any slight warpage of thin parts can easily be


NOTE: We have cast this kit using the most advanced techniques


To glue the resin pieces together use Citadel Super Glue

This kit contains all the pieces required to produce the Orca Dropship

Not suitable for children under 15 years of age.

WARNING: Resin dust can be harmful if inhaled. Always wear a dust mask or respirator when sanding or sawing resin parts





Turret Assembly

NOTE: GLUE ONE TURRET LOCKING CLAMP TO THE MAIN FUSELAGE ONLY THEN POSITION THE TURRET LOCKING PLATE ACCORDINGLY BEFORE ATTACHING THE SECOND TURRET LOCKING CLAMP. THIS SHOULD ALLOW THE TURRET LOCKING PLATE TO MOVE

