

Free Downloads of Build Instructions, Assembly Booklets & How To Guides

BuildInstructions.com

Mars-Alpha Pattern Warbringer Nemesis Quake Cannon

Mounted upon the Warbringer Nemesis Titan, the quake cannon can draw upon the Titan's vast reserves of power as necessity dictates, enabling it to fire at a far greater range than the weapons utilised by smaller patterns of Titan. The weapon's earth-shattering munitions can both tear apart an enemy Titan through a direct hit, or indirectly halt the advance of nearly anything on the battlefield, the monumental concussive force unleashed as its shell impacts the ground setting off powerful localised earthquakes.




THIS IS NOT A TOY

Not suitable for children under 15 years of age.

WARNING: Resin dust can be harmful if inhaled. Always wear a dust mask or respirator when sanding or sawing resin parts.

www.forgeworld.co.uk





- 1. Platform
- 2. Right Cannon Bracket
- 3. Left Cannon Bracket
- 4. Ballistic Cogitator
- 5. Recuperator
- 6. Right Magazine Motor
- 7. Left Magazine Motor
- 8. Right Power Cable
- 9. Left Power Cable
- 10. Primary Power Cable
- 11. Right Magazine
- 12. Left Magazine
- 13. Right Shell Ramp
- 14. Left Shell Ramp
- 15. Right Crane Arm
- 16. Left Crane Arm
- 17. Recuperator Rear
- 18. Right Magazine Mount
- 19. Left Magazine Mount
- 20. Crane Mount x2

- 21. Crane Claw Pivot x2
- 22. Quake Cannon
- 23. Short Cable x2
- 24. Shell Retaining Claw x2
- 25. Crane Claw x2
- 26. Power Coupling x2
- 27. Right Crane Mechanism
- 28. Left Crane Mechanism
- 29. Cylinder Mount
- 30. Shell Fins x5
- 31. Shell Tips x5
- 32. Cylinder Support
- 33. Railing x4
- 34. Quake Cannon Shell x2
- 35. Right Trunnion
- 36. Left Trunnion
- 37. Cylinder
- 38. Front Armour Plating
- 39. Quake Cannon Barrel
- 40. Stabilisers x2

Assembly Legend Parts for Assembly Note Glue Contact Area Shim for Removal Reverse Angle Do Not Glue Insert Component Highlight Hidden Component

Preparing the Model for Assembly

Before assembling the model, wash each part thoroughly with an abrasive brush, such as a toothbrush, to remove any model release agent that may still be on the surface of the parts. Then, remove any excess resin such as mould lines, casting gates, vents and shims. For a more detailed guide to working with resin models, go to the Downloads section of the Forge World website.

This kit contains all the pieces required to construct the Mars-Alpha Pattern Warbringer Nemesis Quake Cannon. To glue the resin pieces together, use Citadel Super Glue.


NOTE: We have cast this kit using advanced techniques and the best quality resin, but due to the nature of the casting process, your model may contain small air bubbles. These can easily be filled with model filler or super glue. Any slight warpage of thin parts can be corrected by immersing the part in hot water for about 1 minute, then bending it back into shape.



If you need to contact the Forge World Customer Service team regarding this model, you can get in touch via email – forgeworld@gwplc.com – or call:
0115 900 4995 within the UK
011 44 115 900 4995 from the USA and Canada

0011 44 115 900 4995 from Australia 00 44 115 900 4995 from Europe and the rest of the world.











20. Crane Mount




















IO










Attach 23. Short Cable to both sides of the Quake Cannon Mount as shown above.

13



You can magnetise each Loading Unit instead of gluing them in place (use 6x2mm and 4x2mm magnets - not included) should you wish to change out the Primary Weapon on the Legio Titanicus Warbringer Nemesis Titan Body.

Locate the Quake Cannon
Assembly into the recess on top of
the Legio Titanicus Warbringer
Nemesis Titan Body. The weight
of the Quake Cannon should be
enough to hold it in place without
glue and allow it to pivot in place.





© Copyright Games Workshop Limited 2018. All rights reserved.

www.forgeworld.co.uk



forge World

