

Free Downloads of Build Instructions, Assembly Booklets & How To Guides

BuildInstructions.com

M

TANK RESIN COMPONENTS LIST

- RIGHT TRACK SECTION LEFT TRACK SECTION
- LOWER HULL
- CANNON MOUNT ENGINE
- BREACHES (x2) EARTHSHAKER CANNONS RECOIL DAMPENER
- 11. SIDE PIVOTS (x2) BREACH DOORS (x2) RECOIL PISTONS (x2)
- 14. SURVEYOR 13. SIDE CONTROLLER 12. CENTRAL CONTROLS
- 16. DRIVER'S VIEW HATCH 17. HEADLIGHTS

15. LADDER

- 18. RIGHT EXHAUST
- 20. DRIVER'S PARTITION 19. LEFT EXHAUST
- 21. FRONT CROSSMEMBER
- 22. ENGINE COVER
- 23. DOOR
- 24. GUN SHIELD
- 26. REAR SHIELD

- 27. REAR SHIELD SUPPORTS (x2)
- 28. FUEL TANKS

To glue the resin pieces either together or to plastic components use Citadel This kit contains all the pieces required to build the Minotaur model tank Super Glue.

NOTE: We have cast this conversion kit using the most advanced technique: and the best quality resin, but due to the nature of the casting process you model may contain very slight air bubbles. These can easily be filled with model filler or super glue. Any slight warpage of thin parts can easily be corrected by immersing the part in hot tap water for about 1 minute then carefully bending it back into shape.

THIS IS NOT A TOY

WARNING: Resin dust can be harmful if inhaled. Always wear a dust mask or respirator when sanding or sawing resin parts Not suitable for children under 15 years of age.


29. RENEGADE LEFT ARM


- 30. RENEGADE RIGHT ARM
- 31. RENEGADE COMMANDER
- 32. CHAIR
- 34. IMPERIAL COMMANDER 33. DRIVE CONTROL STICKS (x2)
- 35. IMPERIAL LEFT ARM
- 36. IMPERIAL RIGHT ARM
- 37. PLASTIC TRACK SPRUE

40 exemples	acceptation as	de esperance	adadatada to	-educacionadeacedo-	and a proposition of the second	SCHOOLS SCHOOLS	- CONTRACTOR CONTRACTOR
蒙	3	12	1	1	13		100
22	2,3	2,3	-2,3	1-8	-35	-35	-53
2,3	-2,2	2,3	2,3	-0,3	-23-	-0,3	-2,3
23-	-2,3	-2,3	-6,3	2,3	-0,3	2,3	2,8

EARTHSHAKER CANNONS MINOTAUR WITH TWIN

Product Code: IA-GUA-T-117





CANNON MOUNT




CONSTRUCTION OPTION


RECOIL DAMPENER


The Earthshaker Cannons can be constructed so that they can recoil. To do this the holes for the Recoil Pistons must be drilled into the Recoil Dampener, as show in (a)


The Earthshaker Cannons can be built so they are static. In which case the Recoil Piston should be cut to the desired length as shown in (b)























FUEL TANKS



REAR SHIELD





NOTE: The Exhausts should point to either side of the Minotaur as shown below.

