

Free Downloads of Build Instructions,
Assembly Booklets & How To Guides

BuildInstructions.com

HOW TO BUILD



- Alternative build option

ROBOUITE GUILLIMAN

Carefully follow this guide and assemble your model. Pay close attention to the instructions as you do so.



CLIPPER SAFETY

To cut a component from the sprue, carefully squeeze the clippers until the blades meet. The clippers and sprue can cause injury if misused. Children should ask an adult for help.



GLUE SAFETY


You will need to use plastic glue to assemble your models. Only apply plastic glue in a well-ventilated area. The glue can cause injury if misused. Always read and follow the instructions provided with the glue. Children should ask an adult for help.

HEADS



This model comes with two head options. Decide which you wish to use and mount it on a paint pot with some adhesive putty before painting.

SUB-ASSEMBLIES




This model is easier to paint if left in sub-assembled sections. These four sections are shown in the images above. Remember to apply adhesive putty to the areas where the components connect – this will allow you to easily glue them together after you have finished painting.


HOW TO BUILD ROBOUITE GUILLIMAN

SUB-ASSEMBLY 1


The first section to assemble is the main body. Make sure you dry fit all of these components before you apply glue to them. Glue components one at a time, allowing the glue to dry for a few seconds.




4 b



5



6




Be careful not to use too much glue when assembling these smaller components.


7 a



When gluing the legs into place, hold them in position for a few seconds until the glue dries.



7 b




7 c


7 b




7 d



Dry fit the arm and make sure it is at the right angle before applying glue and pushing it into position on the body.



7 e



7 d



Finally, glue the left arm into place. Hold the component in place as the glue dries.





To witness the Primarch at war is to step into the distant past and see a hero of myth. How can a soldier not be inspired by such a wondrous sight? Glory to the Emperor!
- Colonel Alistair Grayle


SUB-ASSEMBLY 2

The second sub-assembly is the base. Dry fit each component before assembly and try not to use too much glue.


8 a



8 b



8 c



Ø 60mm




✓



When assembled, glue the scenery to the 60mm base included with the model. You will need to apply more glue than normal. Try to apply glue to the centre of the base, as shown to the left.


SUB-ASSEMBLY 3

The third sub-assembly is comprised of two components, shown below. Glue them together and set aside for painting.




SUB-ASSEMBLY 4

Sub-assembly four is the head. You will need to choose which head you wish to use before assembling.



VARIANT ASSEMBLY

This model can be assembled with a helmeted or bare head. Both options are featured in the Issue 80 paint guide.



SUB-ASSEMBLIES

This image shows all of the sub-assembled sections being pushed or glued into place. When you have finished painting them, you will be directed back to the build guide in order to glue them into position.



11 a

Begin by gluing the iron halo section to the backpack, then glue your chosen head into place.




SUB-ASSEMBLY 4



11 b

Apply a small amount of glue and slot the model into the base. Dry fit before gluing.



The fully assembled model should look exactly like the one shown in the image below.

